PRODUCT-DETAILS

07KT92-ARCNET

07KT92 COMP. PLC W. ARCNET COUPL. 24V DC



General Information

Extended Product Type:	07KT92-ARCNET
Product ID:	GJR5250500R0262
ABB Type Designation:	07KT92
EAN:	4013614309892
Catalog Description:	07KT92 COMP. PLC W. ARCNET COUPL. 24V DC
Long Description:	07KT92 COMP. PLC W. ARCNET COUPL. 24V DC 20 BIN I/O, 4/2 ANA. I/O, 2 SER. INTERF.
Display Name:	07KT92-ARCNET

Additional Information

ABB Type Designation:	07KT92
ABS Certificate:	1SAA960000-0101
Ambient Air Temperature:	Operation 0 ... +55 °C Storage -25 ... +75 °C
Analog Inputs:	4
Analog Outputs:	2
Arcnet:	1

© 2026 ABB. All rights reserved.

CN8:	85389091
Country of Origin:	Germany
CS31-Bus:	1
CSA Certificate:	1SAA960000-1102
Customs Tariff Number:	85371091
Data Sheet, Technical Information:	FPTN440004R2001
Declaration of Conformity - CE:	1SAD938500-0009
DNV Certificate:	1SAA960000-0303
EAN:	4013614309892
eClass:	27-24-22-07
Environmental Information:	1SAA960001-2401
Fieldbus Interface Type:	ARCNET
Frame Size:	Undefined
GL Certificate:	1SAA960000-0401
Gross Weight:	1.1 kg
Instructions and Manuals:	FPTN440004R2001
Invoice Description:	07KT92 COMP. PLC W. ARCNET COUPL. 24V DC
KRS Certificate:	1SAA960000-0901
LR Certificate:	1SAA960000-0502
Made To Order:	No
Maximum Hardware Counter Input Frequency:	10 kHz
Maximum Number of Analog I/Os:	224 AI, 224 AO
Maximum Number of Digital I/Os:	1000
Memory Size User Data:	60 kB
Memory Size User Program:	60 kB
Memory Type User Data:	Flash EPROM
Memory Type User Program:	Flash EPROM, non-volatile RAM, SMC
Minimum Order Quantity:	1 piece
Number of Analog Configurable I/Os:	0
Number of Digital Inputs DC 24V:	12
Number of Digital Outputs DC 24V:	8
Number of Hardware Counters:	1
Order Multiple:	1 piece
Output Current:	0.5 A
Output Voltage (U_{out}):	24 V DC
Parallel Extension:	1
Primary Voltage:	24 V
Product Depth:	85 mm
Product Main Type:	07KT92
Product Name:	Distributed Automation PLC
Product Net Depth / Length:	85 mm
Product Net Height:	140 mm

© 2026 ABB. All rights reserved.

Product Net Weight:	1.1 kg
Product Net Width:	230 mm
Product Type:	PLC-AC31-90
Programming Software:	PC331
Quote Only:	No
Real-time Clock:	Yes
RMRS Certificate:	1SAA960000-0701
RoHS Declaration:	1SAA960003-4401
RoHS Information:	No declaration needed
Selling Unit of Measure:	piece
Serial Port 1 Type:	RS232 / Programing
Serial Port 2 Type:	RS232 / ASCII
Short Description:	07KT92 PLC. ARCNET. 24VDC 20 DIO, 4/2 AIO, 2 SER.
Speed for 1000 instructions (65% Logic, 35% Word):	0.7 ms
Stocked At (Warehouses):	Menden, Germany Ladenburg, Germany Bairro Santo Antonio, Brazil Genk, Belgium
UL Certificate:	1SAA960000-1601
UNSPSC:	32151705
WEEE B2C / B2B:	Business To Business
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Products > PLC Automation > Legacy Products > AC31 and previous series > AC31 PLCs and previous series



© 2026 ABB. All rights reserved.